

# FACE

ORNAMENTA.COM

CONTEMPORARY  
PUZZLES  
60X60 //  
GRES PORCELAIN //  
RECTIFIED //

**ORNAMENTA®**

**MATTER - SHAPE - COLOUR**

*expression of absolute  
and pure contemporaneity*

# ORNAMENTA®

September 2017

ORNAMENTA®  
Via Mosca, 1 - 41049  
Sassuolo - (MO) Italia  
T. +39 0536 867411  
F. +39 0536 803937  
info@ornamenta.com  
IT 00831670369  
Gamma Due S.p.A.

Art Direction  
**Davide Tonelli**

info@davidetonelli.it  
 [linkedin.com/in/davidetonelli/](https://www.linkedin.com/in/davidetonelli/)

printed and bounded in Italy  
September 2017

Communication&Pr:  
ORNAMENTA Press Office  
press@ornamenta.com  
+39 0536 867411

## INFO COLLECTION

**design:** ORNAMENTA®

**technology:** Industriale - Gres porcellanato smaltato con con serigrafia colorata  
Industrial - Gres porcelain with screen printed colour

**finish:** rettificato - rectified


**thickness:** 10 mm

\*misure nominali - nominal sizes

### UP BLACK




white in




white out



yellow in



yellow out



orange in




orange out



green in



green out



blu in



blu out

### BASIC COLOURS



white



ivory



pearl




taupe




ashgrey



grey



black



60x60 cm  
24"x24"

\* I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi.  
Colours and aesthetical features of the materials as illustrated in this catalogue are to be regarded as mere indications.

Gres Porcellanato 60x60 rettificato con serigrafia colorata spessorata

60x60 // 24"x 24" Rectified gres porcelain with a screen printed colour


#black&whitepuzzles

# BLACK AND WHITE

## About me

Segni e reminiscenze arcaiche disegnano sequenze di quadrati, perfettamente allineati secondo insondabili geometrie. Dal nero della superficie affiora il colore per disegnare un puzzle, espressione di assoluta e pura contemporaneità.

Signs and antique reminiscences draw sequences of squares, perfectly aligned according to unfathomable geometries. From the black of the surface the color springs to draw a puzzle, expression of absolute and pure contemporariness.





Gres Porcellanato 60x60 rettificato  
con serigrafia colorata spessorata

60x60 // 24"x 24" Rectified gres  
porcelain with a screen printed colour

#blackpuzzles

Traditional motive

Strong personality of a product which is  
characterized by its innovation

#blackismyhappycolor

#### Technique

Materia ed arte si fondono per creare superfici uniche.  
Matter and art blend together to create unique surfaces

**60X60 // 24"X24"**

**TOTAL BLACK  
FACE FA6060BLK-BLK**

#### New Minimalism

Un nuovo minimalismo che interpreta gli  
spazi in chiave contemporanea.

A new minimalism that  
interprets spaces in a  
contemporary key.

**black**


**is not**

**sad**

**black**

**is**

**poetic**



Find out the collection  
[ornamenta.com](http://ornamenta.com)



**Up to you**

Componi i tuoi puzzle colorati e inventa il tuo spazio  
Puzzle the colours and invent your own design.

**Versatility**

In un periodo dove la parola chiave è serialità  
a standardizzazione abbiamo voluto spostare il  
focus su versatilità ed eclettismo.

In a period where the  
keyword is seriality  
and standardization  
we wanted to shift the  
focus on versatility and  
eclecticism.

**endless  
possibilities  
for the  
designer  
to create  
a unique  
surface.**

**60X60 // 24"X24"**

**MULTICOLOUR  
YELLOW, GREEN, BLU, ORANGE**




# MULTICOLOUR

// YELLOW, GREEN, BLU, ORANGE //

■ Bathroom



white  
ivory  
pearl  
taupe  
ashgrey  
grey



Face Taupe FA6060T



Face Grey FA6060G

**Soft colours**

La gamma si arricchisce di 6 nuovi "soft colours" tono su tono, realizzati in abbinamento ai colori della collezione Basics. Ora i puzzles prendono forma partendo dalle altre nuances di colore della collezione basics, in un primo tempo non utilizzate, per creare composizioni "tonali" nelle quali, pur rimanendo intatto lo spirito di contemporaneità disegnato dalle geometrie \_IN e \_OUT, il suo effetto ne risulta attenuato.


**Soft colours**

The collection is enriched with 6 new "soft colours", tone on tone. The new puzzles take shape starting from the other basics colours, not used in a first time, to create "tonal" compositions in which, while remaining intact the spirit of contemporary, drawn by \_IN and \_OUT geometrics, its effect results attenuated.



close up of Ashgrey colour





**Grey**

è il colore neutro perfetto che vive tra gli estremi del bianco e nero.  
is a perfect neutral that lives between the extremes of black and white

**Monochrome**

Una forte sintonia cromatica tratteggia una scelta ricercata e composta.

A strong chromatic harmony sketches a researched and composed choice.

**Life**

**it's a million**

**grey areas**

**Don't**

**you**

**find?**

**60X60 // 24"X24"**

**SOFT COLOUR  
GREY**



**SOFT COLOUR**

**// ASHGREY //**




Attention to details



# **INFO COLLECTION**




## CODES



FA6060WI  
FACE BLK-WHT\_IN  
60x60




FA6060YI  
FACE BLK-YLW\_IN  
60x60



FA6060OI  
FACE BLK-ORG\_IN  
60x60




FA6060GI  
FACE BLK-GRN\_IN  
60x60



FA6060BI  
FACE BLK-BLU\_IN  
60x60



FA6060WO  
FACE BLK-WHT\_OUT  
60x60




FA6060YO  
FACE BLK-YLW\_OUT  
60x60



FA6060OO  
FACE BLK-ORG\_OUT  
60x60



FA6060GO  
FACE BLK-GRN\_OUT  
60x60



FA6060BO  
FACE BLK-BLU\_OUT  
60x60

I codici FA6060OO, FA6060OI, FA6060BO, FA6060BI, FA6060YO, FA6060YI, FA6060GO, FA6060GI sono ordinabili su richiesta rispettando il quantitativo minimo di una paletta per colore.

The codes FA6060OO, FA6060OI, FA6060BO, FA6060BI, FA6060YO, FA6060YI, FA6060GO, FA6060GI can be ordered on request respecting the minimum quantity of a pallet for each color.



FA6060WW  
FACE WHT-WHT  
60x60



FA6060I  
FACE IVORY  
60x60



FA6060P  
FACE PEARL  
60x60




FA6060T  
FACE TAUPE  
60x60



FA6060A  
FACE ASHGREY  
60x60




FA6060G  
FACE GREY  
60x60



FA6060BB  
FACE BLK-BLK  
60x60

## SCHEMI DI POSA / LAYING SYSTEMS



## MISURE E PESI

weight and dimensions

poids et dimensions

größe und gewichte

medidas y pesos

### Dimensione

Size	
Format	60x60
Format	
Tamaño	

### Spessore

Thickness	
Épaisseur	10 mm
Stärke	
Espesor	

### Peso

Weight	
Poids	7,4 kg
Gewicht	
Peso	

### Pezzi per scatola

Pieces per carton	
Pièces par carton	3
Stück pro Karton	
Unidades por caja	

### Quantità per scatola

Quantity per carton	
Quantité par carton	1,08 sqm
Quantität pro Karton	
Cantidad por caja	

### Peso per scatola

Weight per carton	
Poids par carton	22,20 kg
Gewicht pro Karton	
Peso por caja	

### Scatole per paletta

Boxes per pallet	
Cartons par palette	32
Karton pro palette	
Cajas por paleta	

### Quantità per paletta

Quantity per pallet	
Quantité par palette	34,56 sqm
Quantität pro palette	
Cantidad por paleta	

### Peso per paletta

Weight per pallet	
Poids par palette	731 kg
Gewicht pro palette	
Peso por paleta	

		<b>100</b> Bianco-White,		
<b>Giunto</b>		<b>120</b> Nero-Black,	<b>Grado di variazione cromatica</b>	
Joint		<b>290</b> Crema-Cream,	Colour shade variation	ASTM C137.1
Joint	2 mm	<b>103</b> Bianco Luna-Moon White,	Degré de variation chromatique	V0 - V4
Fugenbreite		<b>133</b> Sabbia-Sand,	Grad Der Farbabweichung	<b>V01</b>
Junta		<b>136</b> Fango-Mud,	Grado De Variación Cromatica	
		<b>114</b> Antracite-Anthracite		

#### Avvertenze

Non saranno accolte contestazioni per danni visibili prima della posa. I colori dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi. I dati presenti nella tabella "Misure e Pesi" sono aggiornati al momento della stampa del catalogo, pertanto i dati elencati possono subire variazioni.

#### Advice

Claims on items which have already been laid will not be accepted for any damage visible before laying. Colours of the materials as illustrated in this catalogue are to be regarded as mere indications. The details present in the table "Weight and Dimensions" are updated at the time the catalogue is printed, therefore the datas may change.

#### Avertissements

Ils ne seront pas acceptées les réclamations pour dommages visibles avant l'installation. Les couleurs des matériaux illustrés dans ce catalogue sont purement indicatives. Les données dans le tableau «poids et mesures» est correcte au moment de l'impression du catalogue, pourquoi les données peuvent être modifiées.

#### Warnungen

Sie werden nicht vor der Installation akzeptiert Ansprüche auf sichtbare Beschädigungen werden. Die Farben der Materialien, die in diesem Katalog dargestellt sind rein indikativ. Die Daten in der Tabelle "Maße und Gewichte" ist korrekt zum Zeitpunkt der Druck des Katalogs, deshalb werden die aufgelisteten Daten geändert werden können.

#### Advertencias

No se aceptarán reclamaciones por daños visibles antes de la instalación. Los colores de los materiales descritos en este catálogo son meramente indicativos. Los datos de los "Pesos y Medidas" tabla es correcta en el momento de imprimir el catálogo, por lo tanto, los datos enumerados pueden ser alterados.

## CARATTERISTICHE TECNICHE

technical features


caractéristiques techniques

technische eigenschaften

características técnicas

	NORMA STANDARD	VALORI LIMITI PREVISTI ESTABLISHED LIMITS VALEURS LIMITES PRÉVUES VORGESEHENE GRENZWERTE VALORES LIMITE PREVISTOS	VALORI RILEVATI MEASURED VALUES VALEURS MESUREES MESSWERTE VALOR MEDIDO
<b>Lunghezza e larghezza</b> Lenght and width Longueur et largeur Länge und Breite Longitud y anchura	ISO 10545.2	± 0,6%	± 0,6%
<b>Rettilineità degli spigoli</b> Straightness of sides Rectitude des arêtes Geradlinigkeit der Kanten Rectitud de los cantos	ISO 10545.2	± 0,5%	± 0,5%
<b>Planarità</b> Flatness Planéité Ebenflächigkeit Planeidad	ISO 10545.2	± 0,5%	± 0,5%
<b>Assorbimento d'acqua</b> Water absorption Absorption d'eau Wasseraufnahme Absorción de agua	ISO 10545.3 ASTM C373	≤ 0,5%	≤ 0,5%
<b>Resistenza agli sbalzi termici</b> Thermal shock Choc thermique Thermoschock Choque termal	ISO 10545.9 ASTM C484	<b>Resistente</b> Resistant Résistant Beständig Resistente	<b>Resistente</b> Resistant Résistant Beständig Resistente
<b>Resistenza agli attacchi chimici</b> Chemical resistance Résistance chimique Chemische Resistenz Resistencia química	ISO 10545.13 ASTM C650	<b>Conforme</b> Complies with the standards Conforme aux normes Anforderungenerf erfüllt Conforme con las normas	<b>Conforme</b> Complies with the standards Conforme aux normes Anforderungenerf erfüllt Conforme con las normas
<b>Resistenza all'abrasione</b> Deep resistance Résistance à l'abrasion Abriebfestigkeit Resistencia a la abrasión	ISO 10545.7 ASTM 1027	100 PEI 0 150 PEI I 600 PEI II 750 - 1500 PEI III 2100 - 6000 - 12000 PEI IV > 12000 PEI V	PEI III
<b>Resistenza alle macchie</b> Stains Resistance Résistance aux taches Fleckenbeständigkeit Resistencia a las manchas	ISO 10545.14 ASTM CC1378	≥ <b>Classe 3</b> ≥ Class 3 ≥ Klasse 3 ≥ Categoria 3	<b>Classe 5</b> Class 5 Classe 5 Klasse 5 Categoria 5
<b>Resistenza allo scivolamento</b> Antislip value Résistance au glissement Rutschhemmung Resistencia al deslizamiento	DIN 51130	<b>da R9 a R13</b> from R9 to R13 de R9 à R13 von R9 bis R13 de R9 a R13	R10
<b>Resistenza al gelo</b> Frost resistant Résistant au gel Frostbeständig Resistente a las heladas	ISO 10545.12 ASTM C1026	<b>Conforme</b> Complies with the standards Conforme aux normes Anforderungenerf erfüllt Conforme con las normas	<b>Conforme</b> Complies with the standards Conforme aux normes Anforderungenerf erfüllt Conforme con las normas
<b>Resistenza alla rottura</b> Breaking strenght Résistance à la rupture Biegezugfestigkeit Resistencia a flexión	ISO 10545.4	≥ 28 N/mm <sup>2</sup>	<b>Conforme</b> Complies with the standards Conforme aux normes Anforderungenerf erfüllt Conforme con las normas

## FACE



ORNAMENTA.COM

Consulting ORNAMENTA® has become even easier!

Our collections available in your tablet and smartphone always with you in a digital version APP for devices Apple and Android. You do not need an Internet connection to consult, it is browsable offline.

#staytuned

follow us on



THANKS



# ORNAMENTA®

A.D. Davide Tonelli

ORNAMENTA®  
Via Mosca, 1 - 41049  
Sassuolo - (MO) Italia  
T. +39 0536 867411  
F. +39 0536 803937  
info@ornamenta.com  
IT 00831670369  
Gamma Due S.p.A.

[ornamenta.com](http://ornamenta.com)

@ornamentaceramics